


According to 1907/2006/EC, Article 31



herma

### Section 1

#### Substance / Mixture & Company Identification

1.1 Product identifier. Hemway Chalk Based Furniture Paint

1.2 Relevant identified uses of the substance or mixture and uses advised against. Surface coating.

Application of the substance or mixture. Surface coating.

#### 1.3 Details of the supplier of the safety data sheet.

Hemway Unit N1 Gildersome Spur Industrial Estate Leeds LS27 7JZ

Further information obtainable from contact@hemway.com.

1.4Emergency telephone number.0113 350 8545

## Section 2 Hazards Identification

## 2.1 Classification of the substance or mixture.

Classification according to Regulation (EC) No 1272/2008. The product is not classified, according to the CLP regulation.

## 2.2 Label elements.

Labelling according to Regulation (EC) No 1272/2008. Void.

Hazard pictograms. Void.

**h**. mway

v1rtus Ltd T/A Hemway Unit N1, Gildersome Spur Industrial Estate, Leeds, LS27 7JZ Company No. 10505861 · VAT No. 264035520

Page 1

## Safety Data Sheet Hemway Chalk Based Furniture Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

	Signal word.				
	Void.				
	Hazard statements.				
	Void.				
	Additional information.				
2.3	Other hazards.				
	Results of PBT and vPvB ass	essment.			
	PBT				
	Not applicable.				
	vPvB				
	Not applicable.				
Sectio	on 3 hemway				
ngre	dients Composition / Informa	ition			
3.2	Chemical characterisation: N	/lixtures.			
	Description.				
	Mixture of substances listed	below with non-hazardous ad	dditions.		
	Dangerous components.				
	CAS: 7727-43-7 EINECS: 231-784-4	Barium sulphate, natural		>1-≤2.5%	
	Reg. No: Exempt under	Substance with a communit			

#### Additional information.

ANNEX V Article 7

For the wording of the listed hazard phrases refer to Section 16.

exposure limit

h. mway

## Safety Data Sheet Hemway Chalk Based Furniture Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

## hemwa

## Section 4 First Aid Measures

4.1 Description of first aid measures.

After inhalation. Supply fresh air. Consult doctor in case of complaints.

After skin contact. Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing.

After eye contact.

Rinse opened eye for several minutes under running water.

After swallowing. Do not induce vomiting. Call for medical help immediately and show safety datasheet or label.

- 4.2 Most important symptoms and effects, both acute and delayed. No further relevant information available.
- **4.3** Indication of any immediate medical attention and special treatment needed. Treat symptomatically.

## Section 5 Firefighting Measures

5.1 Extinguishing media.

Suitable extinguishing agents. Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture. No further relevant information available.
- 5.3 Advice for firefighters.
  - Protective equipment. Put on breathing apparatus.



According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

## hemway

## Section 6 Accidental Release Measures

- 6.1 Personal precautions, protective equipment and emergency procedures. Not required.
- 6.2 Environmental precautions. Dilute with plenty of water. Do not allow to enter sewers / surface or ground water.
- 6.3 Methods and material for containment and cleaning up.Absorb with liquid-binding material: sand, diatomite, acid binders, universal binders, sawdust.
- 6.4 Reference to other sections.
  - See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## Section 7 Handling & Storage

7.1 Precautions for safe handling. Keep receptacles tightly sealed.

Hygiene measures.

Wash hands before breaks and at the end of workday.

Information about fire and explosion protection. No special measures required.

7.2 Conditions for safe storage, including any incompatibilities.

Requirements to be met by storerooms and receptacles. No special requirements.

Information about storage in one common storage facility. Not required.

Further information about storage conditions. Keep receptacle tightly sealed and in a well-ventilated place. Keep away from heat.

hemway.		Hemway Chalk Based Furn	Safety Data Sheet Hemway Chalk Based Furniture Paint According to 1907/2006/EC, Article 31		
		hemway.			
7.3	Specific end us No further relev	e(s). vant information available.			
Sectio Expos		Personal Protection			
8.1	Control parame	ters.			
	Additional infor No further data	mation about design of technical facilitie	25.		
	Ingredients w	ith limit values that require monitoring at t	ne workplace.		
	7727-43-7 ba	arium sulphate, natural			
	WEL	Long-term value: 10 <sup>1</sup> 4 <sup>2</sup> mg/m <sup>3</sup> <sup>1</sup> Inhalable dust <sup>2</sup> Respirable dust			
	Additional infor The lists valid d	mation. uring the making were used as basis.			
8.2	Exposure contr	ols.			
	General protect	tive and hygienic measures.			
	Wash hands be	fore breaks and at the end of work.			
		tection. product, an ABEK respirator to EN141 and ator manufacturer and show this safety o		ıfficient. If in doubt,	
	Protection of ha	ands.			

Eye protection. Goggles recommended during refilling.



According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

## hemway.

## Section 9

## **Physical & Chemical Properties**

## 9.1 Information

General information	
Appearance	Liquid
Form Colour	According to product specification
Odour	Characteristic
Odour threshold	Not determined
pH-value at 20°C	8
	0
Change in condition	
Malting point and fracting point	Undetermined
Melting point and freezing point Initial boiling point and boiling range	100 °C
hemway	
Flash point	>100 °C
Flammability (solid, gas)	Not applicable
Ignition temperature	>370 °C
Decomposition temperature	Not determined
Auto-ignition temperature	Product is not selfigniting
Explosive properties	Product does not present an explosion hazard
Explosion limits	
Lower	Not determined
Upper	Not determined

h. mway

## Safety Data Sheet Hemway Chalk Based Furniture Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

Vapour pressure at 20°C	23 hPa	
Density at 20°C	1.064 g/cm <sup>3</sup>	
Relative density	Not determined	
Vapour density	Not determined	
Evaporation rate	Not determined	
h	emway.	
Solubility in / Miscibility with water	Fully miscible	
Partition coefficient: n-octanol /	Not determined	
water		
Viscosity		
Dynamic at 20°C	1,000 mPas	
Kinematic	, Not determined	
Solvent content		
Organic solvents	0.8% 74.4%	
Water	/4.4 /0	
Solids content	24.8%	

## 9.2 Other information.

No further relevant information available.

## Section 10 Stability & Reactivity

## 10.1 Reactivity.

No further relevant information available.

**h**ernway



According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

10.2 Chemical stability. Thermal decomposition / conditions to be avoided. No decomposition if used according to specifications. 10.3 Possibility of hazardous reactions. No dangerous reactions known. 10.4 Conditions to avoid. No further relevant information available. 10.5 Incompatible materials. No further relevant information available. 10.6 Hazardous decomposition products. No dangerous decomposition products when stored and handled correctly. Section 11 **Toxicological Information** 11.1 Information on toxicological effects. Acute toxicity. Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification. 7727-43-7 barium sulphate, natural Oral LD50 >15,000 mg/kg (rat) Primary irritant effect. Skin corrosion / irritation. Based on available data, the classification criteria are not met. Serious eye damage / irritation. Based on available data, the classification criteria are not met.

## Safety Data Sheet Hemway Chalk Based Furniture Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

Respiratory or skin sensitisation. Based on available data, the classification criteria are not met. CMR effects (carcinogenity, mutagenicity and toxicity for reproduction). Germ cell mutagenicity. Based on available data, the classification criteria are not met. Carcinogenicity. Based on available data, the classification criteria are not met. Reproductive toxicity. Based on available data, the classification criteria are not met. STOT-single exposure. Based on available data, the classification criteria are not met. STOT-repeated exposure. Based on available data, the classification criteria are not met. Aspiration hazard. Based on available data, the classification criteria are not met. Section 12 **Ecological Information** 12.1 Toxicity. Aquatic toxicity. No further relevant information available. 12.2 Persistence and degradability. No further relevant information available. 12.3 Bioaccumulative potential. No further relevant information available. Mobility in soil. 12.4 No further relevant information available. 12.5 General notes. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or

h.

## Safety Data Sheet Hemway Chalk Based Furniture Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

	hemway.		
	sewage system.		
12.6	Results of PBT and vPvB assessment.		
	PBT Not applicable.		
	vPvB Not applicable.		
12.7 hen	Other adverse effects. No further relevant information available.		
Sectio Dispo	on 13 sal Considerations		
13.1	Waste treatment methods. Must not be disposed together with household garbag		
	system.		to reach sewage
13.2			to reach sewage
	system. Uncleaned packaging.		to reach sewage
13.3 Sectio	system. Uncleaned packaging. Disposal must be made according to official regulation Recommended cleansing agents. Water, if necessary together with cleansing agents.		to reach sewage
13.2 13.3 Sectio Trans 14.1	system. Uncleaned packaging. Disposal must be made according to official regulation Recommended cleansing agents. Water, if necessary together with cleansing agents.	hemway. ns.	
13.3 Sectio Trans	system. Uncleaned packaging. Disposal must be made according to official regulation Recommended cleansing agents. Water, if necessary together with cleansing agents. On 14 port Information UN number. ADR, IMDG, IATA. Void.		to reach sewage
13.3 Sectio Trans	system. Uncleaned packaging. Disposal must be made according to official regulation Recommended cleansing agents. Water, if necessary together with cleansing agents. On 14 port Information UN number. ADR, IMDG, IATA.	hemway. ns.	

## Safety Data Sheet Hemway Chalk Based Furniture Paint

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

According to 1907/2006/EC, Article 31

14.3	Transport hazard class(es).			
	ADR, ADN, IMDG, IATA. Void.			
14.4	Packing group			
	ADR, IMDG, IATA. Void.			
14.5 hen	Environmental hazards. Not applicable.			
14.6	Special precautions for user. Not applicable.			
14.7	Transport in bulk according to Anne. Not applicable.	x II of Marpol and th	e IBC Code.	
14.8	UN 'Model Regulation'. Void.			
Section	on 15			
Regul	atory Information			

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture.

Directive 2012/18/EU: Named dangerous substances: Annex I. None of the ingredients are listed.

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment: Annex II. None of the ingredients are listed.

## Safety Data Sheet Hemway Chalk Based Furniture Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

	Technical i	instructions (air).				
	Class		Share			
	Wasser NK		74.4% 0.8%			
hen 5.2	Chemical sat	I class. d class 1 (Self-ass fety assessment. afety assessment			s for water.	
	on 16 Information					
6.1				-	ever, this shall not legally valid contra	constitute a guarantee actual relationship.
6.3	Department	issuing SDS. ty department.				
6.4	Abbreviation	is and acronyms.				
	ADR					
		péen sur le transp he International C		-	•	(European Agreement
	IMDG International	Maritime Code fo	r Dangerous Goo	ods.		
	IATA International	Air Transport Ass	ociation.			
	GHS Globally Harr	monised System c	of Classification a	and Labellir	ng of Chemicals.	
	EINECS	ventory of Existing			-	
ר.			v1rtus Ltd T/A Gildersome Spur Industr 1pany No. 10505861 •	rial Estate, Leeo		Page 12


## Safety Data Sheet Hemway Chalk Based Furniture Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

omway.

# **ELINCS** European List of Notified Chemical Substances. CAS Chemical Abstracts Service (division of the American Chemical Society). LC50 Lethal concentration, 50 percent. LD50 Lethal dose, 50 percent. PBT Persistent, Bioaccumulative and Toxic. vPvB very Persistent and very Bioaccumulative. v1rtus Ltd T/A Hemway



v1rtus Ltd T/A Hemway Unit N1, Gildersome Spur Industrial Estate, Leeds, LS27 7JZ Company No. 10505861 · VAT No. 264035520

Page 13