Safety Data Sheet Hemway Exterior Matt Acrylic Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 05/02/2024 Revised: 05/02/2024

Section 1

Substance / Mixture & Company Identification

1.1 Product identifier.

Hemway Exterior Acrylic Matt Paint

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Surface coating.

Application of the substance or mixture.

Surface coating.

1.3 Details of the supplier of the safety data sheet.

Hemway

Unit N1

Gildersome Spur

Industrial Estate

Leeds

LS27 7JZ

Further information obtainable from contact@hemway.com.

1.4 Emergency telephone number.

0113 350 8545

Section 2

Hazards Identification

2.1 Classification of the substance or mixture.

Classification according to Regulation (EC) No 1272/2008.

The product is not classified, according to the GB CLP regulation.

2.2 Label elements.

Labelling according to Regulation (EC) No 1272/2008.

Void.

Hazard pictograms.

Void.

Safety Data Sheet Hemway Exterior Matt Acrylic Paint

According to 1907/2006/EC, Article 31

V1.0 Printed: 05/02/2024 Revised: 05/02/2024

Signal word.

Void.

Hazard statements.

Void.

Additional information.

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3 Other hazards.

Results of PBT and vPvB assessment.

PBT

Not applicable.

vPvB

Not applicable.

Section 3

Ingredients Composition / Information

3.2 Chemical characterisation: Mixtures.

Description.

Mixture of substances listed below with non-hazardous additions.

Dangerous components.		
CAS: 112-34-5 EINECS: 203-961-6	2-(2-butoxyethoxy)ethanol	>1-≤2.5%
Reg. No: 01-2119475104- 44-xxxx	♦ Eye Irrit. 2, H319	

Additional information.

For the wording of the listed hazard phrases refer to Section 16.

Safety Data Sheet Hemway Exterior Matt Acrylic Paint

Printed: 05/02/2024 Revised: 05/02/2024

According to 1907/2006/EC, Article 31

Section 4 First Aid Measures

4.1 Description of first aid measures.

After inhalation.

Supply fresh air. Consult doctor in case of complaints.

After skin contact.

Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing.

After eye contact.

Rinse opened eye for several minutes under running water.

After swallowing.

Do not induce vomiting. Call for medical help immediately and show safety datasheet or label.

4.2 Most important symptoms and effects, both acute and delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

Treat symptomatically.

Section 5

Firefighting Measures

5.1 Extinguishing media.

Suitable extinguishing agents.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture.

No further relevant information available.

5.3 Advice for firefighters.

Protective equipment.

Put on breathing apparatus.

Safety Data Sheet Hemway Exterior Matt Acrylic Paint

Printed: 05/02/2024 Revised: 05/02/2024

According to 1907/2006/EC, Article 31

Section 6

Accidental Release Measures

- 6.1 Personal precautions, protective equipment and emergency procedures.

 Not required.
- 6.2 Environmental precautions.

Do not allow to enter sewers / surface or ground water.

6.3 Methods and material for containment and cleaning up.

Absorb with liquid-binding material: sand, diatomite, acid binders, universal binders, sawdust.

6.4 Reference to other sections.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7

Handling & Storage

7.1 Precautions for safe handling.

Keep receptacles tightly sealed.

Hygiene measures.

Wash hands before breaks and at the end of workday.

Information about fire and explosion protection.

No special measures required.

7.2 Conditions for safe storage, including any incompatibilities.

Requirements to be met by storerooms and receptacles.

No special requirements.

Information about storage in one common storage facility.

Not required.

Further information about storage conditions.

Keep receptacle tightly sealed and in a well-ventilated place.

Keep away from heat.

7.3 Specific end use(s).

No further relevant information available.

Safety Data Sheet Hemway Exterior Matt Acrylic Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 05/02/2024 Revised: 05/02/2024

Section 8

Exposure Controls & Personal Protection

8.1 Control parameters.

Additional information about design of technical facilities.

No further data. See Section 7.

Ingredients	with limit values that require monitoring at the workplace.
112-34-5 2-(2-butoxyethoxy)ethanol
WEL	Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

П	NI		_
.,	ıvı	_	5

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	DNEL	1.25 mg/day (Con)
Dermal	DNEL	10 mg/day (Con)
		20 mg/day (Ind)
Inhalative	DNEL	34 mg/m³ (Con)
		67.5 mg/m³ (Ind)

Additional information.

The lists valid during the making were used as basis.

8.2 Exposure controls.

General protective and hygienic measures.

Wash hands before breaks and at the end of work.

Respiratory protection.

If spraying this product, an ABEK respirator to EN141 and EN405 is normally sufficient. If in doubt, consult a respirator manufacturer and show this safety data sheet.

Safety Data Sheet Hemway Exterior Matt Acrylic Paint

rior Matt Acrylic Paint
Printed: 05/02/2024
Revised: 05/02/2024

According to 1907/2006/EC, Article 31

Protection of hands.

Not required.

Eye protection.

Goggles recommended during refilling.

Section 9

Physical & Chemical Properties

9.1 Information

General information	
Appearance Form Colour Odour Odour Odour threshold	Liquid According to product specification Characteristic Not determined
pH-value at 20°C	7.5
Change in condition	
Melting point and freezing point Initial boiling point and boiling range	Undetermined 100 °C
Flash point	Not applicable.
Flammability (solid, gas)	Not applicable
Decomposition temperature	Not determined
Ignition temperature	Product is not selfigniting
Explosive properties	Product does not present an explosion hazard

Safety Data Sheet Hemway Exterior Matt Acrylic Paint

Printed: 05/02/2024 Revised: 05/02/2024

According to 1907/2006/EC, Article 31

Explosion limits		
Lower Upper	Not determined Not determined	
Vapour pressure at 20°C	23 hPa	
Density at 20°C Relative density Vapour density Evaporation rate	1.295 g/cm ³ Not determined Not determined Not determined	
Solubility in / Miscibility with water	Not miscible	
Partition coefficient: n-octanol / water	Not determined	
Viscosity Dynamic at 20°C Kinematic	9,500 mPas Not determined	
Solvent content Organic solvents Water	2.9% 42.5%	
Solids content	52.9%	

9.2 Other information.

No further relevant information available.

Safety Data Sheet Hemway Exterior Matt Acrylic Paint

Printed: 05/02/2024 Revised: 05/02/2024

According to 1907/2006/EC, Article 31

Section 10 Stability & Reactivity

10.1 Reactivity.

No further relevant information available.

10.2 Chemical stability.

Thermal decomposition / conditions to be avoided.

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions.

No dangerous reactions known.

10.4 Conditions to avoid.

No further relevant information available.

10.5 Incompatible materials.

No further relevant information available.

10.6 Hazardous decomposition products.

No dangerous decomposition products when stored and handled correctly.

Section 11

Toxicological Information

11.1 Information on toxicological effects.

Acute toxicity.

Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification.

112-34-5 2-(2-butoxyethoxy)ethanol

 Oral
 LD50
 >2,000 mg/kg (rat)

 Dermal
 LD50
 >2,000 mg/kg (rabbit)

Safety Data Sheet Hemway Exterior Matt Acrylic Paint

According to 1907/2006/EC, Article 31

VI.0 Printed: 05/02/2024 Revised: 05/02/2024

Primary irritant effect.

Skin corrosion / irritation.

Based on available data, the classification criteria are not met.

Serious eye damage / irritation.

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation.

Based on available data, the classification criteria are not met.

Additional toxicological information.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction).

Germ cell mutagenicity.

Based on available data, the classification criteria are not met.

Carcinogenicity.

Based on available data, the classification criteria are not met.

Reproductive toxicity.

Based on available data, the classification criteria are not met.

STOT-single exposure.

Based on available data, the classification criteria are not met.

STOT-repeated exposure.

Based on available data, the classification criteria are not met.

Aspiration hazard.

Based on available data, the classification criteria are not met.

Section 12

Ecological Information

12.1 Toxicity.

Aquatic toxicity.

No further relevant information available.

12.2 Persistence and degradability.

No further relevant information available.

Safety Data Sheet Hemway Exterior Matt Acrylic Paint

According to 1907/2006/EC, Article 31

Printed: 05/02/2024

12.3 Bioaccumulative potential.

No further relevant information available.

12.4 Mobility in soil.

No further relevant information available.

12.5 General notes.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.6 Results of PBT and vPvB assessment.

PBT

Not applicable.

vPvB

Not applicable.

12.7 Other adverse effects.

No further relevant information available.

Section 13

Disposal Considerations

13.1 Waste treatment methods.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

13.2 Uncleaned packaging.

Disposal must be made according to official regulations.

Section 14

Transport Information

14.1 UN number.

ADR, IMDG, IATA.

Void.

Safety Data Sheet Hemway Exterior Matt Acrylic Paint

VI.0 Printed: 05/02/2024 Revised: 05/02/2024

According to 1907/2006/EC, Article 31

14.2 Old proper shipping harne	14.2	UN proper shipping na	me.
--------------------------------	------	-----------------------	-----

ADR, IMDG, IATA.

Void.

14.3 Transport hazard class(es).

ADR, ADN, IMDG, IATA.

Void.

14.4 Packing group

ADR, IMDG, IATA.

Void.

14.5 Environmental hazards.

Not applicable.

14.6 Special precautions for user.

Not applicable.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code.

Not applicable.

14.8 UN 'Model Regulation'.

Void.

Section 15

Regulatory Information

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture.

Poisons Act hemway	
Regulated explosives precursors	None of the ingredients are listed.
Regulated poisons	None of the ingredients are listed.

Safety Data Sheet Hemway Exterior Matt Acrylic Paint

Printed: 05/02/2024 Revised: 05/02/2024

According to 1907/2006/EC, Article 31

Reportable explosives precursors	None of the ing	redients are listed.	
Reportable poisons	7664-41-7 1336-21-6	Ammonia, anhydrous 10-35% ammonia solution	Listed 10%

Directive 2012/18/EU: Named dangerous substances: Annex I.

None of the ingredients are listed.

Technical instructions (air).		
Class	Share	
Wasser NK	42.5% 2.9%	

Waterhazard class.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment.

A chemical safety assessment has not been carried out.

Section 16 Other Information

16.1 Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

16.2 Full text of H-Statements referred to under Sections 2 and 3.

H319

Causes serious eye irritation.

16.3 Department issuing SDS.

Product safety department.

Safety Data Sheet Hemway Exterior Matt Acrylic Paint

Printed: 05/02/2024 Revised: 05/02/2024

According to 1907/2006/EC, Article 31

16.4 Abbreviations and acronyms.

ADR

Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road).

IMDG

International Maritime Code for Dangerous Goods.

IATA

International Air Transport Association.

GHS

Globally Harmonised System of Classification and Labelling of Chemicals.

EINECS

European Inventory of Existing Commercial Chemical Substances.

ELINCS

European List of Notified Chemical Substances.

CAS

Chemical Abstracts Service (division of the American Chemical Society).

DNEL

Derived No-Effect Level (UK REACH).

LC50

Lethal concentration, 50 percent.

LD50

Lethal dose, 50 percent.

PBT

Persistent, Bioaccumulative and Toxic.

vPvB

very Persistent and very Bioaccumulative.

Eye Irrit. 2

Serious eye damage / eye irritation - Category 2.