Safety data sheet

hemway

according to 1907/2006/EC, Article 31

Printing date 25.11.2024

Revision: 25.11.2024

Page 1/7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier For Industrial, professional and consumer only

- · Trade name: <u>Hemway Clear Gloss Lacquer</u>
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against Surface Coating
- · Application of the substance / the mixture Surface Coating
- \cdot 1.3 Details of the supplier of the safety data sheet
- Supplier: v1rtus ltd Unit N1 Gildersome Spur Ind Est Leeds LS27 7JZ
- *EMAIL: contact@hemway.com*
- Further information obtainable from: contact@hemway.com • 1.4 Emergency telephone number: +44 (0)113 350 8545(Business Hours)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23 Propylene glycol substance with a Community workplace exposure limit

(Contd. on page 2)

>10-*≤*25%

Printing date 25.11.2024

Revision: 25.11.2024

Trade name: Hemway Clear Gloss Lacquer

		(Contd. of page 1)
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	>1- <i>≤</i> 2.5%
EINECS: 203-961-6	() <i>Eye Irrit. 2, H319</i> −	
Reg.nr.: 01-2119475104-44-xxxx		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Do not induce vomiting; call for medical help immediately and show safety datasheet or label.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: Put on breathing apparatus

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:
- Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Keep receptacles tightly sealed. Hygiene measures:

- Wash hands before breaks and at the end of workday.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility: Not required.

(Contd. on page 3)

Printing date 25.11.2024

Revision: 25.11.2024

(Contd. of page 2)

Trade name: Hemway Clear Gloss Lacquer

Further information about storage conditions:

Keep receptacle tightly sealed and in a well-ventilated place.
Keep away from heat. **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

- 57-55-6 Propylene glycol
- WEL Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

•	DNELs

57-55-6 Pi		0.
Oral	DNEL	85 mg/day (Con)
Dermal	DNEL	213 mg/day (Con)

Inhalative DNEL 50 mg/m³ (Con)

168 mg/m³ (Ind)

112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	DNEL	1.25 mg/day (Con)
Dermal	DNEL	10 mg/day (Con)
		20 mg/day (Ind)
Inhalative	DNEL	34 mg/m³ (Con)

67.5 mg/m³ (Ind) • Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Particulate cartridge filter type when LEV cannot be supplied
- Protection of hands:
- Not required.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Eva protection.

• Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- General Information
- Appearance: Form:
- Colour:

Liquid Clear

(Contd. on page 4)

GR

Printing date 25.11.2024

Trade name: Hemway Clear Gloss Lacquer

Revision: 25.11.2024

Trade name. Hemway Clear Gloss Lacquer	
	(Contd. of page 3)
• Odour: • Odour threshold:	Characteristic Not determined.
· pH-value at 20 °C:	8.5
• Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : 100 °C
· Flash point:	103 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	>370 °C
• Decomposition temperature:	Not determined.
• Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	2.6 Vol % 12.6 Vol %
· Vapour pressure at 20 °C:	23 hPa
Density at 20 °C: Relative density Vapour density Evaporation rate	1.131 g/cm ³ Not determined. Not determined. Not determined.
• Solubility in / Miscibility with water:	Fully miscible.
• Partition coefficient: n-octanol/water:	Not determined.
Viscosity: Dynamic at 20 °C: Kinematic:	2,500 mPas Not determined.
Solvent content: Organic solvents: Water:	15.3 % 41.4 %
Solids content: 9.2 Other information	43.3 % No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous decomposition products when stored and handled correctly

(Contd. on page 5)

Printing date 25.11.2024

Revision: 25.11.2024

Trade name: Hemway Clear Gloss Lacquer

(Contd. of page 4)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

57-55-6 Propylene glycol

Oral LD50 22,000 mg/kg (Rat)

Dermal LD50 >2,000 mg/kg (Rab)

112-34-5 2-(2-butoxyethoxy)ethanol

 Oral
 LD50
 >2,000 mg/kg (rat)

 Dermal
 LD50
 >2,000 mg/kg (rbt)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot \textit{STOT-repeated exposure Based on available data, the classification criteria are not met.}$
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

Printing date 25.11.2024 Revision: 25.11.2024 Trade name: Hemway Clear Gloss Lacquer (Contd. of page 5) Recommended cleansing agents: Water, if necessary together with cleansing agents. **SECTION 14: Transport information** · 14.1 UN-Number ADR, ADN, IMDG, IATA Void · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA Void · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: • Marine pollutant: No · 14.6 Special precautions for user Not applicable. · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · UN "Model Regulation": Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
- None of the ingredients is listed.
- · National regulations:
- Technical instructions (air):

Class	Share in %
Wasser	41.4
NK	15.3

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Full text of H-Statements referred to under sections 2 and 3: H319 Causes serious eye irritation.

(Contd. on page 7)

GB -

Printing date 25.11.2024

Revision: 25.11.2024

Trade name: Hemway Clear Gloss Lacquer (Contd. of page 6) · Department issuing SDS: Product safety department: LABORATORY Contact: Health & Safety Officer · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 GB